

Anticoccidials

Anticoccidials

3-Nitrophenyl Arsonic Acid (Roxarsone)
 (expressed as arsenic)
 Arsanilic Acid (expressed as arsenic)
 Amprolium
 Decoquinate
 Diclazuril
 Ethopabate
 Halofuginone
 Lasalocid
 Maduramicin (Ammonium Maduramicin)
 Metilclorpindol (Clopidol)
 Monensin
 Narasin
 Nicarbazin
 Robenidine
 Salinomycin Sodium
 Semduramicin Sodium
 Toltrazuril

3-Nitrophenyl Arsonic Acid (Roxarsone) / Arsanilic Acid

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
3-Nitrophenyl Arsonic Acid (Roxarsone) / Arsanilic Acid	Total residues of combined arsenic (Calculated as As)	Chicken	Muscle	500
			Edible By-products	2000
			Eggs	500
		Pig	Liver	2000
			Kidney	2000
			Muscle	500
			Edible By-products	500
		Turkey	Muscle	500
			Edible By-products	2000
			Eggs	500

Amprolium

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Amprolium	Amprolium residues (1-(4-amino-2-n-propyl-5-pyrimidine methyl)-2-picolinium hydrochloride)	Calf	Fat	2000
			Muscle	500
			Liver	500
			Kidney	500
		Poultry	Does not require	

Applies to oral use only.

Anticoccidials

Clopidol

Active ingredient	Active ingredient	Species	Tissue	LMR (µg/kg)
Clopidol (3,5-dichloro-2,6-dimethyl-4-pyridinol)	Residues of Clopidol	All Species	Milk	0.02 (Negligible Residues)
		Bovine	Kidney	3000
			Liver	1500
			Muscle	200
		Chicken	Liver	15000
			Kidney	15000
			Muscle	5000
		Goat	Kidney	3000
			Liver	1500
			Muscle	200
		Sheep	Kidney	3000
			Liver	1500
			Muscle	200
		Pig	Edible Tissue	200
		Turkey	Liver	15000
			Kidney	15000
			Muscle	5000
Residues of Clopidol				

Decoquate

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Decoquate	Residues of Decoquate	Bovine and Sheep*	Does not require	
		Chicken	Skeletal Muscle	1000
			Edible Tissue	2000
		Goat*	Skeletal Muscle	1000
			Edible Tissue	2000

* Applies to oral use only.

Do not use on animals producing milk for human consumption.

Anticoccidials

Diclazuril

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Diclazuril	Diclazuril	Poultry	Muscle	500
			Liver	3000
			Kidney	2000
			Fat / Skin	1000
		Rabbit	Muscle	500
			Liver	3000
			Kidney	2000
			Fat	1000
		Sheep	Muscle	500
			Liver	3000
			Kidney	2000
			Fat	1000
		Other ruminants*	Does not require	
		Pig*		

*(Applies to oral use only)

Ethopabate

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Ethopabate	Residues of Ethopabate turned into metafenetidine	Chicken	Liver	1500
			Kidney	500
			Muscle	500

Halofuginone (Complements EMEA + FDA)

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Halofuginone	Halofuginone	Bovine*	Muscle	10
			Fat	25
			Liver	30
			Kidney	30
Halofuginone Hydrobromide	Halofuginone Hydrobromide	Broiler Chicken		
			Liver	300
			Muscle	100
	Total Residues		Skin with adhering fat	200
	Halofuginone Hydrobromide	Turkey	Liver	300
			Muscle	100
			Skin with adhering fat	
	Total Residues			200

Anticoccidials

Lasalocid

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Lasalocid	Lasalocid	Poultry	Muscle	20
			Skin + Fat	100
			Liver	100
			Kidney	50
			Eggs	150
		Bovine	Liver (White tissue)	700
		Rabbit	Liver (White tissue)	700
		Sheep	Liver (White tissue)	1000

Ammonium Maduramicin

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Ammonium Maduramicin	Total residues of ammonium maduramicin	Chicken	Muscle	240
			Liver	720
			Skin	480
			Fat	480

Monensin

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Monensin	Monensin	Bovine	Muscle	10
			Liver	20
			Kidney	10
			Fat	100
			Milk	2
		Sheep and Goat	Muscle	10
			Liver	20
			Kidney	10
			Fat	100
		Chicken / Hen / Turkey / Quail	Muscle	10
			Liver	10
			Kidney	10
			Fat	100

Narasin

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Narasin	Narasin	Chicken	Abdominal fat	480

Anticoccidials

Nicarbazin

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Nicarbazin	N,N'-bis-(4-nitrophenyl)-urea	Chicken / Hen	Muscle	200
			Liver	200
			Kidney	200
			Fat / Skin	200

Excludes usage on laying hens.

Robenidine

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Robenidine Hydrochloride	Residues of Robenidine hydrochloride	Chicken	Skin and Fat	200
			Edible Tissue	100 (Negligible Residues)

Salinomycin

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Salinomycin	Salinomycin	Chicken	Skin y Fat	350

Semduramicin

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Semduramicin	Semduramicin	Broiler Chicken	Liver	400
			Muscle	130

Toltrazuril

Active ingredient	Marker Residue	Specie	Tissue	MRL (µg/kg)
Toltrazuril	Toltrazuril sulfone	All food-producing species (mammals)	Muscle	100
			Fat*	150
			Liver	500
			Kidney	250
		Poultry	Muscle	100
			Skin + Fat	200
			Liver	600
			Kidney	400

Do not use on animals producing milk for human consumption.

* For Pig it applies to "skin and fat in natural proportions"