

## Antihistamines and Anti-inflammatories

### Antihistamines and Anti-inflammatories

Acetylsalicylic Acid
Betamethasone
Carprofen
Dexamethasone
Diclofenac
Flunixin
Hydrocortisone
Ketoprofen
Lysine Acetylsalicylate
Meloxicam
Metamizole (Dipyrone)
Methylprednisolone acetate
Prednisolone
Tripeleminamine

#### Acetylsalicylic Acid

Active ingredient	Species	MRL ( $\mu\text{g}/\text{kg}$ )
Acetylsalicylic Acid	All food-producing animal species, except fish	Does not require
Acetylsalicylic Acid DL-Lysine		

Do not use on animals producing milk and eggs for human consumption.

#### Betamethasone

Active ingredient	Marker Residue	Species	Tissue	MRL ( $\mu\text{g}/\text{kg}$ )
Betamethasone	Betamethasone	Bovine	Muscle	0,75
			Liver	2
			Kidney	0,75
			Milk	0,3
		Pig	Muscle	0,75
			Liver	2
			Kidney	0,75

#### Carprofen

Active ingredient	Marker Residue	Species	Tissue	MRL ( $\mu\text{g}/\text{kg}$ )
Carprofen	Sum of carprofen and conjugated carprofen (glucuronidate)	Bovine	Muscle	500
			Fat	1000
			Liver	1000
			Kidney	1000
			Milk	Does not require
		Equine	Muscle	500
			Fat	1000
			Liver	1000
			Kidney	1000

## Antihistamines and Anti-inflammatories

### Chlorpheniramine

Active ingredient	Species	MRL
Chlorpheniramine	All mammalian food-producing species.	Does not require

### Dexamethasone

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Dexamethasone	Dexamethasone	Bovine, Pig and Equidae	Muscle	1
			Liver	2
			Kidney	1
		Goat	Muscle	0,75
			Liver	2
			Kidney	0,75
		Bovine and Goat	Milk	0.3

### Diclofenac

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)
Diclofenac	Diclofenac	Bovine	Muscle	5
			Fat	1
			Liver	5
			Kidney	10
			Milk	0,1
		Pig	Muscle	5
			Skin + Fat	1
			Liver	5
			Kidney	10

### Flunixin

Active ingredient	Marker Residue	Species	Tissue	MRL (µg/kg)	
Flunixin	Flunixin	Bovine	Muscle	20	
			Fat	30	
			Liver	300	
			Kidney	100	
			Milk	40	
			Pig	Muscle	50
				Skin + Fat	10
				Liver	200
		Kidney		30	
		Equidae		Muscle	10
				Fat	20
			Liver	100	
			Kidney	200	

### Hydrocortisone

## Antihistamines and Anti-inflammatories

Active ingredient	Marker Residue	Species	Tissue	LMR ( $\mu\text{g}/\text{kg}$ )
Hydrocortisone (as hydrocortisone sodium succinate or hydrocortisone acetate)	Residues of hydrocortisone	All food-producing animal species	Milk	10 (Negligible residues)
Hydrocortisone #				Does not require

Applies only to topical use #

### Ketoprofen

Active ingredient	Species	MRL ( $\mu\text{g}/\text{kg}$ )
Ketoprofen	Bovine	Does not require
	Equidae	
	Pig	

### Meloxicam

Active ingredient	Marker Residue	Species	Tissue	MRL ( $\mu\text{g}/\text{kg}$ )
Meloxicam	Meloxicam	Bovine	Muscle	20
			Liver	65
			Kidney	65
			Milk	15
		Pig	Muscle	20
			Liver	65
			Kidney	65
		Equidae	Muscle	20
			Liver	65
			Kidney	65
		Rabbit	Muscle	20
			Liver	65
			Kidney	65
		Goat	Muscle	20
			Liver	65
			Kidney	65
			Milk	15

### Metamizole (dipyrone)

Active ingredient	Marker Residue	Species	Tissue	MRL ( $\mu\text{g}/\text{kg}$ )
Metamizole (Dipyrone)	4-methylamino antipyrine	Bovine	Muscle	100
			Fat	100
			Liver	100
			Kidney	100
			Milk	50
		Pig	Muscle	100
			Fat + Skin	100
			Liver	100

## Antihistamines and Anti-inflammatories

			Kidney	100
			Muscle	100
			Fat	100
			Liver	100
		Equidae	Kidney	100

### Methylprednisolone

Active ingredient	Marker Residue	Species	Tissue	MRL ( $\mu\text{g}/\text{kg}$ )
			Muscle	10
			Fat	10
			Liver	10
			Kidney	10
Methylprednisolone	Methylprednisolone	Bovine	Milk	2

Do not use on animals producing milk and eggs for human consumption.

### Prednisolone

Active ingredient	Marker Residue	Species	Tissue	MRL ( $\mu\text{g}/\text{kg}$ )
			Muscle	4
			Fat	4
			Liver	10
			Kidney	10
Prednisolone (as free alcohol)	Marker Residue Prednisolone	Bovine	Milk	6
Prednisolone	Residues of prednisolone	Milk-producing animals	Milk	0 (or detection limit)

### Paracetamol

Active ingredient	Species	MRL
Paracetamol	Pig	Does not require*

\*For oral use only\* Muscle and skin in natural proportions.